

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical Procedure Code Relationships

**V0301 MASTOIDECTOMY
ILLOGICAL FOR DIAGNOSIS OF BREAST CANCER(S)**

Guideline: Certain procedures are performed only when a specific diagnosis is present. It is illogical to report mastoidectomy for breast cancer cases. Index coding can easily cause this combination to occur. The presence of the procedure codes (20.4x) without a related diagnosis code would clearly be in error.

V0301 Exclusive check (if match, error) - P001

Procedure Table	20.41	Simple mastoidectomy
	20.42	Radical mastoidectomy
	20.49	Other mastoidectomy
Relational Table	174.0	Malignant neoplasm, nipple and areola, female
	174.1	Malignant neoplasm, central portion, female
	174.2	Malignant neoplasm, upper-inner quadrant, female
	174.3	Malignant neoplasm, lower-inner quadrant, female
	174.4	Malignant neoplasm, upper-outer quadrant, female
	174.5	Malignant neoplasm, lower-outer quadrant, female
	174.6	Malignant neoplasm, axillary tail, female
	174.8	Malignant neoplasm, other specified sites, female breast
	174.9	Malignant neoplasm, breast (female), unspecified
	175.0	Malignant neoplasm, nipple and areola, male
	175.9	Malignant neoplasm, other and unspecified sites, male breast

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical Procedure Code Relationships

**V0303 INCIDENTAL APPENDECTOMY, ILLOGICAL FOR DIAGNOSIS OF
SIGNIFICANT APPENDICEAL PATHOLOGY**

Guideline: The code for incidental appendectomy (47.1) is used when the appendix is removed as a routine prophylactic removal in the course of other abdominal surgery.

The procedure code 47.1 should not be assigned when there is a diagnosis of significant appendiceal pathology. However, it should be assigned when the appendix was removed as an incidental procedure and the pathology report indicates minor findings such as fecalith or mucocele.

V0303 Exclusive check (if match, error) - P003

Procedure Table	47.1	Incidental appendectomy (<i>before 10/1/96</i>)
	47.11	Laparoscopic incidental appendectomy (<i>after 10/1/96</i>)
	47.19	Other incidental appendectomy (<i>after 10/1/96</i>)
Relational Table	540.0	Acute appendicitis with generalized peritonitis
	540.1	Acute appendicitis with peritoneal abscess
	540.9	Acute appendicitis, without mention of peritonitis
	541	Appendicitis, unqualified
	542	Other appendicitis

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical Procedure Code Relationships

V0304	TRACHEOSTOMY REVISION	- STATUS versus ATTENTION
V0305	GASTROSTOMY REVISION	- STATUS versus ATTENTION
V0306	INTESTINAL STOMA REVISION	- STATUS versus ATTENTION
V0307	ILEOSTOMY REVISION	- STATUS versus ATTENTION
V0308	COLOSTOMY REVISION	- STATUS versus ATTENTION
V0309	CYSTOSTOMY REVISION	- STATUS versus ATTENTION
V0310	URINARY REVISION	- STATUS versus ATTENTION

Guideline: Certain procedures are performed only when a specific diagnosis is present. It is illogical to report diagnosis of status ostomy in admission for the ostomy closure.

Codes from category V44 classify certain status without care that may influence the patient's health status, such as the presence of colostomy (V44.3).

Codes from category V55 are used to indicate that the purpose for administering care is to consolidate treatment or to deal with a residual state.

The codes for aftercare management are ordinarily used for planned care, such as attention to colostomy (V55.3).

Read the excludes notes under categories V44 and V55.

V0304 Exclusive check (if match, error) - P004

Procedure Table	31.72	Closure of external fistula of trachea
	31.74	Revision of tracheostomy

Relational Table	V44.0	Tracheostomy status
------------------	-------	---------------------

V0304 HINT: Attention to tracheostomy V55.0 should be the principal diagnosis.

V0305 Exclusive check (if match, error) - P005

Procedure Table	44.62	Closure of gastrostomy
-----------------	-------	------------------------

Relational Table	V44.1	Gastrostomy status
------------------	-------	--------------------

V0305 HINT: Attention to gastrostomy V55.1 should be the principal diagnosis.

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical Procedure Code Relationships

V0304	TRACHEOSTOMY REVISION	- STATUS versus ATTENTION
V0305	GASTROSTOMY REVISION	- STATUS versus ATTENTION
V0306	INTESTINAL STOMA REVISION	- STATUS versus ATTENTION
V0307	ILEOSTOMY REVISION	- STATUS versus ATTENTION
V0308	COLOSTOMY REVISION	- STATUS versus ATTENTION
V0309	CYSTOSTOMY REVISION	- STATUS versus ATTENTION
V0310	URINARY REVISION	- STATUS versus ATTENTION

CONTINUED (see guideline on page 369)

V0306 Exclusive check (if match, error) - P006

Procedure Table	46.40	Revision of intestinal stoma, NOS
	46.50	Closure of intestinal stoma
Relational Table	V44.2	Ileostomy status
	V44.3	Colostomy status
	V44.4	Other artificial opening of gastrointestinal tract

V0306 HINT: One of the codes for attention to artificial opening in the intestine V55.2-V55.4 should be the principal diagnosis.

V0307 Exclusive check (if match, error) - P007

Procedure Table	45.31	Other local excision of lesion of duodenum (excision of redundant mucosa of duodenostomy)
	45.33	Local excision of lesion or tissue of small intestine, except duodenum (excision of redundant mucosa of ileostomy or jejunostomy)
	46.41	Revision of stoma of small intestine
	46.51	Closure of stoma of small intestine
Relational Table	V44.2	Ileostomy status
	V44.4	Other artificial opening of gastrointestinal tract

V0307 HINT: One of the codes for attention to small intestinal stoma V55.2 or V55.4 should be the principal diagnosis.

V0308 Exclusive check (if match, error) - P008

Procedure Table	45.41	Excision of lesion or tissue of large intestine (excision of redundant mucosa of colostomy)
	46.43	Other revision of stoma of large intestine
	46.52	Closure of stoma of large intestine
Relational Table	V44.3	Colostomy status

V0308 HINT: Attention to colostomy V55.3 should be the principal diagnosis.

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical Procedure Code Relationships

V0304	TRACHEOSTOMY REVISION	- STATUS versus ATTENTION
V0305	GASTROSTOMY REVISION	- STATUS versus ATTENTION
V0306	INTESTINAL STOMA REVISION	- STATUS versus ATTENTION
V0307	ILEOSTOMY REVISION	- STATUS versus ATTENTION
V0308	COLOSTOMY REVISION	- STATUS versus ATTENTION
V0309	CYSTOSTOMY REVISION	- STATUS versus ATTENTION
V0310	URINARY REVISION	- STATUS versus ATTENTION

CONTINUED (see guideline on page 369)

V0309 Exclusive check (if match, error) - P009

Procedure Table	57.22	Revision or closure of vesicostomy
	57.82	Closure of cystostomy

Relational Table	V44.5x	Cystostomy status
------------------	--------	-------------------

V0309 HINT: Attention to cystostomy V55.5 should be the principal diagnosis.

V0310 Exclusive check (if match, error) - P010

Procedure Table	55.82	Closure of nephrostomy and pyelostomy
	55.89	Correction of ureteropelvic junction (revision of nephrostomy)
	56.62	Revision of other cutaneous ureterostomy
	56.83	Closure of ureterostomy
	58.42	Closure of urethrostomy
	58.49	Other repair of urethra (revision of urethrostomy)
Relational Table	V44.6	Other artificial opening of urinary tract status

V0310 HINT: Attention to artificial opening of urinary tract (nephrostomy, ureterostomy, urethrostomy) V55.6 should be the principal diagnosis.

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical Procedure Code Relationships

V0311 BILATERAL HERNIA REPAIR, ILLOGICAL FOR DIAGNOSIS OF UNILATERAL HERNIA

Guideline: When coding hernia repair, the coder should avoid using a bilateral repair code when the hernia itself is described as unilateral. A unilateral repair may be done even though bilateral hernias are present, but it is impossible to repair bilateral hernias when only one hernia exists.

V0311 Exclusive check (if match, error) - P011

Procedure Table	53.10	Bilateral repair of inguinal hernia, NOS
	53.11	Bilateral repair of direct inguinal hernia
	53.12	Bilateral repair of indirect inguinal hernia
	53.13	Bilateral repair of inguinal hernia, one direct and one indirect
	53.14	Bilateral repair of direct inguinal hernia with graft or prosthesis
	53.15	Bilateral repair of indirect inguinal hernia with graft or prosthesis
	53.16	Bilateral repair of inguinal hernia, one direct and one indirect, with graft or prosthesis
	53.17	Bilateral inguinal hernia repair with graft or prosthesis, NOS
Relational Table	550.00	Unilateral or unspecified inguinal hernia, with gangrene
	550.01	Unilateral or unspecified inguinal hernia, with gangrene, recurrent
	550.10	Unilateral or unspecified inguinal hernia, with obstruction
	550.11	Unilateral or unspecified inguinal hernia, with obstruction, recurrent
	550.90	Unilateral or unspecified inguinal hernia
	550.91	Unilateral or unspecified inguinal hernia, recurrent

V0311 Exclusive check (if match, error) - P012

Procedure Table	53.31	Bilateral repair of femoral hernia with graft or prosthesis
	53.39	Other bilateral femoral herniorrhaphy
Relational Table	551.00	Unilateral or unspecified femoral hernia with gangrene
	551.01	Unilateral or unspecified femoral hernia, recurrent
	552.00	Unilateral or unspecified femoral hernia with obstruction
	552.01	Unilateral or unspecified femoral hernia, recurrent
	553.00	Unilateral or unspecified femoral hernia
	553.01	Unilateral or unspecified femoral hernia, recurrent

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical Procedure Code Relationships

V0312 HERNIA REPAIR WITHOUT DIAGNOSIS OF HERNIA

Guideline: Hernias are classified by type and site. Certain procedures are performed only when a specific diagnosis is present. It is illogical to report incisional/ventral hernia repair without a diagnosis of incisional/ventral hernia. It is also illogical to report umbilical hernia repair without a diagnosis of umbilical hernia.

V0312 Inclusive check (if no match, error) - I001

Procedure Table	53.51	Incisional hernia repair
	53.61	Incisional hernia repair with prosthesis

Relational Table	551.21	Incisional hernia with gangrene
	552.21	Incisional hernia with obstruction
	553.21	Incisional hernia

V0312 Inclusive check (if no match, error) - I002

Procedure Table	53.59	Repair of other hernia of anterior abdominal wall
	53.69	Repair of other hernia of anterior abdominal wall with prosthesis

Relational Table	551.20	Ventral hernia with gangrene
	551.29	Other ventral hernia (such as epigastric) with gangrene
	552.20	Ventral hernia with obstruction
	552.29	Other ventral hernia (such as epigastric) with obstruction
	553.20	Ventral hernia
	553.29	Other ventral hernia (such as epigastric or Spigelian)

V0312 Inclusive check (if no match, error) - I003

Procedure Table	53.41	Repair of umbilical hernia with prosthesis
	53.49	Repair of umbilical hernia

Relational Table	551.1	Umbilical hernia with gangrene
	552.1	Umbilical hernia with obstruction
	553.1	Umbilical hernia
	756.7x	Anomalies of abdominal wall (omphalocele)

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical Procedure Code Relationships

**VW313 LEGAL ABORTION PROCEDURE, ILLOGICAL FOR DIAGNOSIS OF
LEGALLY INCOMPLETE ABORTION**

**VW314 D&C FOLLOWING ABORTION, ILLOGICAL FOR DIAGNOSIS OF COMPLETE
ABORTION**

Guideline: An abortion is considered to be incomplete as long as any placenta or other secundines remains. When an abortion procedure is performed to terminate a pregnancy, usually all products of conception are carefully removed and it is rare if there are still some products of conception left after surgery. The pathology report is a reliable source of information for identifying the state of an abortion procedure.

V0313 If all products of conception were removed for legal abortions, the fifth digit for abortion diagnosis should be "2" for "complete".

V0314 If some products of conception passed prior to surgery or some still remain after surgery (rare), the fifth digit for abortion diagnosis should be "1" for "incomplete".

VW313 Exclusive check (if match, error) - P013

Procedure Table	69.01	Dilation and curettage for termination of pregnancy
	69.51	Aspiration curettage for termination of pregnancy
Relational Table	635.00	Legally induced abortion complicated by genital tract and pelvic infection, unspecified
	635.01	Legally induced abortion complicated by genital tract and pelvic infection, incomplete
	635.10	Legally induced abortion complicated by delayed or excessive hemorrhage, unspecified
	635.11	Legally induced abortion complicated by delayed or excessive hemorrhage, incomplete
	635.20	Legally induced abortion complicated by damage to pelvic organs or tissues, unspecified
	635.21	Legally induced abortion complicated by damage to pelvic organs or tissues, incomplete
	635.30	Legally induced abortion complicated by renal failure, unspecified
	635.31	Legally induced abortion complicated by renal failure, incomplete
	635.40	Legally induced abortion complicated by metabolic disorder, unspecified
	635.41	Legally induced abortion complicated by metabolic disorder, incomplete
	635.50	Legally induced abortion complicated by shock, unspecified
	635.51	Legally induced abortion complicated by shock, incomplete

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical Procedure Code Relationships

**VW313 LEGAL ABORTION PROCEDURE, ILLOGICAL FOR DIAGNOSIS OF
LEGALLY INCOMPLETE ABORTION - CONTINUED**

**VW314 D&C FOLLOWING ABORTION, ILLOGICAL FOR DIAGNOSIS OF COMPLETE
ABORTION - CONTINUED**
(see guideline on page 372)

VW313 Exclusive check (if match, error) - P013 - CONTINUED

Relational Table	635.60	Legally induced abortion complicated by embolism, unspecified
	635.61	Legally induced abortion complicated by embolism, incomplete
	635.70	Legally induced abortion complicated with other specified complications, unspecified
	635.71	Legally induced abortion complicated with other specified complications, incomplete
	635.80	Legally induced abortion with unspecified complication, unspecified
	635.81	Legally induced abortion with unspecified complication, incomplete
	635.90	Legally induced abortion without mention of complication, unspecified
	635.91	Legally induced abortion without mention of complication, incomplete

VW313 *HINT: If one of the procedures was performed to terminate the pregnancy, usually all the products are carefully removed, the fifth digit for legally induced abortion diagnosis should be "2" complete.*

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical Procedure Code Relationships

**VW313 LEGAL ABORTION PROCEDURE, ILLOGICAL FOR DIAGNOSIS OF
LEGALLY INCOMPLETE ABORTION - CONTINUED**

**VW314 D&C FOLLOWING ABORTION, ILLOGICAL FOR DIAGNOSIS OF COMPLETE
ABORTION - CONTINUED**
(see guideline on page 372)

VW314 Exclusive check (if match, error) - P014

Procedure Table	69.02	Dilation and curettage following delivery or abortion
	69.52	Aspiration curettage following delivery or abortion
Relational Table	635.02	Legally induced abortion complicated by genital tract and pelvic infection, complete
	635.12	Legally induced abortion complicated by delayed or excessive hemorrhage, complete
	635.22	Legally induced abortion complicated by damage to pelvic organs or tissues, complete
	635.32	Legally induced abortion complicated by renal failure, complete
	635.42	Legally induced abortion complicated by metabolic disorder, complete
	635.52	Legally induced abortion complicated by shock, complete
	635.62	Legally induced abortion complicated by embolism, complete
	635.72	Legally induced abortion complicated with other specified complications, complete
	635.82	Legally induced abortion with unspecified complication, complete
	635.92	Legally induced abortion without mention of complication, complete

VW314 *HINT: If some products of conception passed prior to surgery or some still remain after surgery (rare), the fifth digit for abortion diagnosis should be "1" for incomplete. If the products of conception passed prior to surgery, the diagnosis should be spontaneous abortion instead of legally induced abortion.*

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical Procedure Code Relationships

V0315 REPAIRS OF OBSTETRICAL LACERATIONS WITHOUT DIAGNOSIS OF OBSTETRICAL LACERATIONS

Guideline: Spontaneous episiotomy extensions and other perineal lacerations occurring during the birth of a baby are assigned codes from category 664, Trauma to perineum and vulva during delivery. It is illogical to report repairs of spontaneous episiotomy extensions or lacerations without the appropriate code from category 664, Trauma to perineum and vulva during delivery.

With the birth of the baby, the episiotomy can extend spontaneously; it is then considered to be a laceration. If the physician performs an episiotomy and it itself extends spontaneously (now considered a laceration) and needs repair, both procedures 73.6 episiotomy and 75.6x repair of other current obstetric laceration can be reported. However, if the physician extends the episiotomy, it is not considered a laceration and only the episiotomy code should be assigned.

V0315	Inclusive check (if no match, error) - I004	

Procedure Table	75.61	Repair of current obstetric laceration of bladder and urethra
	75.62	Repair of current obstetric laceration of rectum and sphincter ani
	75.69	Repair of other current obstetric laceration
Relational Table	664.00	1st degree perineal laceration, unspecified episode
	664.01	1st degree perineal laceration, delivered with antepartum condition
	664.04	1st degree perineal laceration, postpartum condition
	664.10	2nd degree perineal laceration, unspecified episode
	664.11	2nd degree perineal laceration, delivered with antepartum condition
	664.14	2nd degree perineal laceration, postpartum condition
	664.20	3rd degree perineal laceration, unspecified episode
	664.21	3rd degree perineal laceration, delivered with antepartum condition
	664.24	3rd degree perineal laceration, postpartum condition
	664.30	4th degree perineal laceration, unspecified episode
	664.31	4th degree perineal laceration, delivered with antepartum condition
	664.34	4th degree perineal laceration, postpartum condition
	664.40	Unspecified perineal laceration, unspecified episode
	664.41	Unspecified perineal laceration, delivered with antepartum condition
	664.44	Unspecified perineal laceration, postpartum condition
	664.50	Vulval and perineal hematoma, unspecified episode
	664.51	Vulval and perineal hematoma, delivered with antepartum condition
	664.54	Vulval and perineal hematoma, postpartum condition

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical Procedure Code Relationships

**V0315 REPAIRS OF OBSTETRICAL LACERATIONS WITHOUT DIAGNOSIS OF
OBSTETRICAL LACERATIONS**
- CONTINUED (see guideline on page 375)

V0315 Inclusive check (if no match, error) - I004 - Continued

Relational Table	664.60	Anal sphincter tear complicating delivery, not associated with 3 rd degree perineal laceration, unspecified episode
	664.61	Anal sphincter tear complicating delivery, not associated with 3 rd degree perineal laceration, delivered with antepartum condition
	664.64	Anal sphincter tear complicating delivery, not associated with 3 rd degree perineal laceration, postpartum condition
	664.80	Other specified trauma to perineum and vulva, unspecified episode
	664.81	Other specified trauma to perineum and vulva, delivered with antepartum condition
	664.84	Other specified trauma to perineum and vulva, postpartum condition
	664.90	Unspecified trauma to perineum and vulva, unspecified episode
	664.91	Unspecified trauma to perineum and vulva, delivered with antepartum condition
	664.94	Unspecified trauma to perineum and vulva, postpartum condition
	665.30	Laceration of cervix, unspecified episode
	665.31	Laceration of cervix, delivered with antepartum condition
	665.34	Laceration of cervix, postpartum condition
	665.40	High vaginal laceration, unspecified episode
	665.41	High vaginal laceration, delivered with antepartum condition
	665.44	High vaginal laceration, postpartum condition
	665.50	Other injury to pelvic organs, unspecified episode
	665.51	Other injury to pelvic organs, delivered with antepartum condition
	665.54	Other injury to pelvic organs, postpartum condition
	665.70	Pelvic hematoma, unspecified episode
	665.71	Pelvic hematoma, delivered with antepartum condition
	665.72	Pelvic hematoma, delivered with postpartum condition
	665.74	Pelvic hematoma, postpartum condition
	674.20	Disruption of perineal wound, unspecified episode
	674.22	Disruption of perineal wound, delivered with antepartum condition
	674.24	Disruption of perineal wound, delivered with postpartum condition
	674.30	Other complications of obstetrical surgical wounds, unspecified episode
	674.32	Other complications of obstetrical surgical wounds, delivered with antepartum condition
	674.34	Other complications of obstetrical surgical wounds, delivered with postpartum condition

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical Procedure Code Relationships

V0316 MASTECTOMY, ILLOGICAL FOR DIAGNOSIS OF MASTOIDITIS AND MIDDLE EAR INFECTIONS

Guideline: Certain procedures are performed only when a specific diagnosis is present. It is illogical to report a mastectomy for mastoiditis/middle ear infection cases. Index coding can easily cause this combination to occur. The presence of the procedure codes (85.4x) without a related diagnosis code would clearly be in error.

V0316 Exclusive check (if match, error) - P015

Procedure Table	85.41	Unilateral simple mastectomy
	85.42	Bilateral simple mastectomy
	85.43	Unilateral extended simple mastectomy
	85.44	Bilateral extended simple mastectomy
	85.45	Unilateral radical mastectomy
	85.46	Bilateral radical mastectomy
	85.47	Unilateral extended radical mastectomy
	85.48	Bilateral extended radical mastectomy
Relational Table	383.00	Acute mastoiditis
	383.01	Subperiosteal abscess of mastoid
	383.02	Acute mastoiditis with complications
	383.1	Chronic mastoiditis
	383.20	Petrositis, unspecified
	383.21	Acute petrositis
	383.22	Chronic petrositis
	383.30	Postmastoidectomy complication, unspecified
	383.31	Mucosal cyst of postmastoidectomy cavity
	383.32	Recurrent cholesteatoma of postmastoidectomy cavity
	383.33	Granulations of postmastoidectomy cavity
	383.81	Postauricular fistula
	383.89	Other disorders of mastoid
	383.9	Unspecified mastoiditis
	384.00	Acute myringitis, unspecified
	384.01	Bullous myringitis
	384.09	Other disorders of tympanic membrane
	384.1	Chronic myringitis without mention of otitis media
	384.20	Perforation of tympanic membrane, unspecified
	384.21	Central perforation of tympanic membrane
	384.22	Attic perforation of tympanic membrane
	384.23	Other marginal perforation of tympanic membrane
	384.24	Multiple perforations of tympanic membrane
	384.25	Total perforation of tympanic membrane
	384.81	Atrophic flaccid tympanic membrane
	384.82	Atrophic nonflaccid tympanic membrane
	384.9	Unspecified disorder of tympanic membrane

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical Procedure Code Relationships

**V0316 MASTECTOMY, ILLOGICAL FOR DIAGNOSIS OF MASTOIDITIS AND
MIDDLE EAR INFECTIONS**
- CONTINUED (see guideline on page 377)

V0316 Exclusive check (if match, error) - P015 - Continued

Relational Table	385.00	Tympanosclerosis, unspecified as to involvement
	385.01	Tympanosclerosis involving tympanic membrane only
	385.02	Tympanosclerosis involving tympanic membrane and ear ossicles
	385.03	Tympanosclerosis involving tympanic membrane, ear ossicles, and middle ear
	385.09	Tympanosclerosis involving other combination of structures
	385.10	Adhesive middle ear disease, unspecified as to involvement
	385.11	Adhesions of drum head to incus
	385.12	Adhesions of drum head to stapes
	385.13	Adhesions of drum head to promontorium
	385.19	Other adhesions and combinations
	385.21	Impaired mobility of malleus
	385.22	Impaired mobility of other ear ossicles
	385.23	Discontinuity or dislocation of ear ossicles
	385.24	Partial loss or necrosis of ear ossicles
	385.30	Cholesteatoma, unspecified
	385.31	Cholesteatoma, attic
	385.32	Cholesteatoma, middle ear
	385.33	Cholesteatoma, middle ear and mastoid
	385.35	Diffuse cholesteatosis
	385.82	Cholesterin granuloma
	385.83	Retained foreign body of middle ear
	385.89	Other disorders of middle ear and mastoid
	385.9	Unspecified disorder of middle ear and mastoid

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical Procedure Code Relationships

**V0318 DETOX AND/OR REHAB PROCEDURES, WITHOUT DIAGNOSIS
OF ALCOHOLISM**

Guideline: Certain procedures are performed only when a specific diagnosis is present. When a patient is admitted for the purpose of detoxification or rehabilitation or both, a code for the dependence or abuse should be reported. See sequencing guidelines for principal diagnosis on substance dependence and abuse in Coding Clinic, 2nd Quarter 1991, page 12. It is illogical to report rehab or detox without a diagnosis for alcohol dependence or abuse.

Other mental disorders, such as alcohol withdrawal syndrome, due to alcohol dependence or abuse are classified to the 291 series. A code should also be assigned for the dependence or abuse.

V0318	Inclusive check (if no match, error) - I005	

Procedure Table	94.61	Alcohol rehabilitation
	94.62	Alcohol detoxification
	94.63	Alcohol rehabilitation and detoxification
Relational Table	648.3x	Pregnancy with drug dependence
	648.4x	Pregnancy with mental disorder
	655.5x	Suspected damage to fetus from drugs
	303.0x	Acute alcoholic intoxication
	303.9x	Other/unspecified alcohol dependence
	305.0x	Alcohol abuse

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical Procedure Code Relationships

V0319 DETOX AND/OR REHAB PROCEDURES, WITHOUT DIAGNOSIS OF DRUG

Guideline: Certain procedures are performed only when a specific diagnosis is present. When a patient is admitted for the purpose of detoxification or rehabilitation or both, a code for the dependence or abuse should be reported. See sequencing guidelines for principal diagnosis on substance dependence and abuse in Coding Clinic, 2nd Quarter 1991, page 12. It is illogical to report rehab or detox without a diagnosis for drug dependence or abuse.

Other mental disorders, such as drug withdrawal syndrome, due to drug dependence or abuse are classified to the 292 series. A code should also be assigned for the dependence or abuse.

V0319 Inclusive check (if no match, error) - I006

Procedure Table	94.64	Drug rehabilitation
	94.65	Drug detoxification
	94.66	Drug rehabilitation and detoxification
Relational Table	648.3x	Pregnancy with drug dependence
	648.4x	Pregnancy with mental disorder
	655.5x	Suspected damage to fetus from drugs
	304.xx	Drug dependence
	305.1x	Tobacco use disorder
	305.xx	Drug abuse

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical Procedure Code Relationships

**V0320 DETOX AND/OR REHAB PROCEDURES, WITHOUT DIAGNOSIS OF
COMBINED ALCOHOL AND DRUG**

Guideline: Certain procedures are performed only when a specific diagnosis is present. When a patient is admitted for the purpose of detoxification or rehabilitation or both, a code for the dependence or abuse should be reported. See sequencing guidelines for principal diagnosis on substance dependence and abuse in Coding Clinic, 2nd Quarter 1991, page 12. It is illogical to report rehab or detox without a diagnosis for combined alcohol and drug dependence or abuse.

Other mental disorders, such as alcohol or drug withdrawal syndrome, due to alcohol or drug dependence or abuse are classified to the 291-292 series. A code should also be assigned for the dependence or abuse.

V0320 Inclusive check (if no match, error) - I007

Procedure Table	94.67	Combined alcohol and drug rehabilitation
	94.68	Combined alcohol and drug detoxification
	94.69	Combined alcohol and drug rehabilitation and detoxification
Relational Table	648.3x	Pregnancy with drug dependence
	648.4x	Pregnancy with mental disorder
	655.5x	Suspected damage to fetus from drugs
	303.0x	Acute alcoholic intoxication
	303.9x	Other/unspecified alcohol dependence
	304.xx	Drug dependence
	305.0x	Alcohol abuse
	305.1x	Tobacco use disorder
	305.2x	Drug abuse

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical Procedure Code Relationships

**V0321 DELIVERY PROCEDURES, ILLOGICAL FOR ANTEPARTUM CONDITION
BEFORE DELIVERY OR POSTPARTUM CONDITION AFTER DELIVERY**

Guideline: Certain procedures are performed only when a specific diagnosis is present. It is illogical to report delivery procedures for obstetrical diagnosis that indicate no delivery occurred this episode. Obstetrical conditions with fifth digits 3 and 4 are used only when delivery does not occur during the current episode.

.x3 antepartum condition or complication (no delivery this episode, patient is still pregnant)

.x4 postpartum condition or complication (no delivery this episode, delivery completed previously and patient is no longer pregnant)

The presence of delivery procedure codes with the non-delivery obstetrical conditions would clearly be in error.

V0321 Exclusive Check (if match, error) - P022

Procedure Table	72.0	Low forceps operation
	72.1	Low forceps operation with episiotomy
	72.21	Mid forceps operation with episiotomy
	72.29	Other mid forceps operation
	72.4	Forceps rotation of fetal head
	72.51	Partial breech extraction with forceps to aftercoming head
	72.52	Other partial breech extraction
	72.54	Other total breech extraction
	72.6	Forceps application to aftercoming head
	72.71	Vacuum extraction with episiotomy
	72.79	Other vacuum extraction
	72.8	Other specified instrumental delivery
	72.9	Unspecified instrumental delivery
	73.22	Internal and combined version with extraction
	73.51	Manual rotation of fetal head
	73.59	Other manually assisted delivery
	73.6	Episiotomy
	74.0	Classical cesarean section
	74.1	Low cervical cesarean section
	74.2	Extraperitoneal cesarean section
	74.4	Cesarean section of other specified type
	74.99	Other cesarean section of unspecified type

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical Procedure Code Relationships

**V0321 DELIVERY PROCEDURES, ILLOGICAL FOR ANTEPARTUM CONDITION
BEFORE DELIVERY OR POSTPARTUM CONDITION AFTER DELIVERY**
- CONTINUED (see guideline on page 382)

V0321 Exclusive Check (if match, error) - P022 - Continued

Relational Table	640.0 - 649.6 with 5th digit "3" or "4"	Complications relating to pregnancy
	651.0 - 659.9 with 5th digit "3" or "4"	Other indications for care in pregnancy, care, and delivery
	660.0 - 669.9 with 5th digit "3" or "4"	Complications occurring in the course of labor and delivery
	670.0 - 676.9 with 5th digit "3" or "4"	Complications of the puerperium

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical Procedure Code Relationships

**V0322 COMPLICATED DELIVERY PROCEDURE, ILLOGICAL FOR DIAGNOSIS OF
NORMAL PREGNANCY (650)**

Guideline: Obstetrical procedures that can be associated with diagnosis code 650 are episiotomy and episiorrhaphy, amniotomy (artificial rupture of the membranes), unassisted delivery, administration of analgesics and/or anesthesia, and fetal monitoring. Any other obstetrical procedures (72.x, 73.4, 74.x) cannot be used correctly with a normal delivery diagnosis code 650.

Procedure code 73.4, Medical induction of labor, cannot be used correctly with a normal delivery diagnosis code 650. Code 73.4 should only be used to start the labor if the patient is not in labor. Code 73.4 should not be used if the patient is already in labor. If everything appears normal but the physician medically induces labor, the physician should be consulted as to why there is medical induction (failure to progress?, post-term?, or premature rupture of membranes?). A complication of delivery diagnosis code should then be assigned rather than normal delivery diagnosis code 650. Exception: If the patient truly had a normal pregnancy (650) and induction to "begin" labor (73.4), leave the data as is.

V0322 Exclusive check (if match, error) - P023

Procedure Table	72.0	Low forceps operation
	72.1	Low forceps operation with episiotomy
	72.21	Mid forceps operation with episiotomy
	72.29	Other mid forceps operation
	72.4	Forceps rotation of fetal head
	72.51	Partial breech extraction with forceps to aftercoming head
	72.52	Other partial breech extraction
	72.54	Other total breech extraction
	72.6	Forceps application to aftercoming head
	72.71	Vacuum extraction with episiotomy
	72.79	Other vacuum extraction
	72.8	Other specified instrumental delivery
	72.9	Unspecified instrumental delivery
	73.4	Medical induction of labor (<i>prior to active labor</i>)
	74.0	Classical cesarean section
	74.1	Low cervical cesarean section
	74.2	Extraperitoneal cesarean section
	74.3	Removal of extratubal ectopic pregnancy
	74.4	Cesarean section of other specified type
	74.91	Hysterotomy to terminate pregnancy
	74.99	Other cesarean section of unspecified type
Relational Table	650	Delivery in a completely normal case

STOP!!!
NEXT V EDIT IS V0401